

For Grand Format Printing Media :

Lightbox

Display

Backdrop

Flag

Tent Fabric



ECO

we are dedicated to providing environmentally-friendly solutions for digital printing media. we apply water-based coat on recyclable polyester textiles, making it a sustainable choice for your display needs.



Trade Volume Discount

We offer competitive price and discounts on volume trade orders. **LINKQ** aims to help your business thrive by delivering fast processing and a helpful, informative approach throughout the sales journey.



Quality

We conduct comprehensive material tests, including tearing strength, printing performance, breaking strength, thickness, color accuracy, and UV resistance, etc. If our product does not work, we offer a replacement or a full refund guarantee.



Customization

LINKQ specializes in highly customizable digital printing fabric, offering tailored solutions to meet your unique requirements. From material selection and texture to size, weight, and finish, every aspect can be customized to fit your specific application.



Innovation

We are committed to continuous research and development to drive product excellence. We value your feedback. Here in **LINKQ**, with a dedicated R&D team, our mission is to transform your ideas into reality.

FLAG FABRIC

Lightweight, vibrant, and
engineered for dynamic outdoor
use.



FLAG FABRIC

F-501

f501 - Flag Fabric

Specifications: 110gsm, 100% polyester(Knitted)

Max Width: 3.2m-5m

Applications: Flags

Specialities: High Double Penetration Performance,

Anti-static

Printing: SUB-D

Fire resistant	1 USD/m ²
Non fire resistant	0.7 USD/m ²
MOQ	5000 m ² (≈ 15-20 rolls)

F-502

f502 - Flag Fabric - Mesh

Specifications: 120gsm, 100% polyester(Knitted)

Max Width: 3.6m

Applications: Flags

Specialities: High Double Penetration Performance,

Anti-static

Printing: SUB-D

Fire resistant	1.05 USD/m ²
Non fire resistant	0.75 USD/m ²
MOQ	5000 m ² (≈ 15-20 rolls)

F-503

f503 - Flag Fabric - Semi-Glossy

Specifications: 130gsm, 100% polyester(Knitted)

Max Width: 3.6m

Applications: Flags

Specialities: High Double Penetration Performance,

Anti-static

Printing: SUB-D

Fire resistant	1.2 USD/m ²
Non fire resistant	0.8 USD/m ²
MOQ	5000 m ² (≈ 15-20 rolls)



Wrinkle resistant



Durable



Color-Restoration

FLAG FABRIC



Blockout Fabric

Premium fabrics for high-opacity signage, banners, and displays requiring durability, vivid prints, and light-blocking performance.



Blockout Fabric

F-101

Bf101 - Backdrop Fabric(Black Back) - Regular
Specifications: 270 gsm, 100% polyester(Knitted)
Max Width: 3.20m-5m
Applications: Display/Frontlit
Specialities: soft, 100% Blockout
Printing: SUB-T SUB-D

Fire resistant	3.3 USD/m²
Non fire resistant	3.0 USD/m²
MOQ	5000 m² (≈15-20 rolls)

F-102

Bf102 - Backdrop Fabric(Black Back) - UV Compatible
Specifications: 270 gsm , 100% polyester(Knitted)
Max Width: 3.20m-5m
Applications: Display/Frontlit
Specialities: UV Compatibility , 100% Blockout
Printing: SUB-T SUB-D UV

Fire resistant	3.5 USD/m²
Non fire resistant	3.2 USD/m²
MOQ	5000 m² (≈15-20 rolls)

F-103

Bf103 - Backdrop Fabric(Black Back) - Soft
Specifications: 270 gsm, 100% polyester(Knitted)
Max Width: 3.20m-5m
Applications: Display/Frontlit
Specialities: Extra Elasticity, 100 % Blockout
Printing: SUB-T SUB-D

Fire resistant	3.6 USD/m²
Non fire resistant	3.3 USD/m²
MOQ	5000 m² (≈15-20 rolls)



F-104

Bf104 - Backdrop Fabric(Black Back) - Smooth Surface
Specifications: 270 gsm, 100% polyester(Knitted)
Max Width:3.20m-5m
Applications: Display/Frontlit
Specialities: Smoother Fabric, 100% Blockout
Printing: SUB-T SUB-D UV

Fire resistant	3.5 USD/m²
Non fire resistant	3.2 USD/m²
MOQ	5000 m² (≈15-20 rolls)



F-105

Bf105 - Backdrop Fabric(Black Back) -UV Woven Fabric
Specifications: 260 gsm, 100% polyester(Woven)
Max Width: 3.20m-5m
Applications: Display/Frontlit
Specialities: Printable with UV, 100% Blockout
Printing: UV ECO-SOL LATEX

Fire resistant	3.75 USD/m²
Non fire resistant	3.4 USD/m²
MOQ	5000 m² (≈15-20 rolls)



F-106

Bf106 - Double White Backdrop Fabric
Specifications: 290 gsm, 100% polyester
Max Width: 3.20m
Applications: Display/Frontlit
Specialities: White Back, 100% Blockout
Printing: SUB-T SUB-D

Fire resistant	4.2 USD/m ²
Non fire resistant	3.8 USD/m ²
MOQ	5000m ² (≈ 15-20 rolls)

F-107

Bf107 - Black Back Backdrop Fabric
Specifications: 340 gsm, 100% polyester(Oxford)
Max Width: 3.20cm
Applications: Display/Frontlit
Specialities: 100% Blockout, Strong Texture
Printing: SUB-T UV ECO-SOL



BACKLIT/LIGHTBOX FABRIC

Optimized for illuminated displays
with superior light diffusion and
print clarity.



BACKLIT/LIGHTBOX
FABRIC

F-201

f201 - Lightbox Fabric/Back lit - Regular
Specifications: 175 gsm, 100% polyester(Woven)
Max Width: 3.20cm-5m
Applications: SEG Light Box, SEG Frame Systems
Specialities: Scratch-Resistant, Light Weight,
Color Restoration
Printing: SUB-T UV ECO-SOL LATEX

Fire resistant	3.2 USD/m ²
Non fire resistant	2 USD/m ²
MOQ	5000 m ² (≈ 15-20 rolls)



F-202

f202 - Lightbox Fabric/Backlit - Enhanced
Specifications: 175gsm, 100% polyester(Woven)
Max Width: 3.20cm-5m
Applications: SEG Light Box, SEG Frame Systems
Specialities: Scratch-Resistant, Wrinkle Resistant,
Cold Resistant, Zero-Halogen Available
Printing: SUB-T UV ECO-SOL LATEX

Fire resistant	3.35 USD/m ²
Non fire resistant	2.15 USD/m ²
MOQ	5000m ² (≈ 15-20 rolls)



F-203

f203 - Lightbox Fabric/Backlit - Sub-D
Specifications: 180gsm, 100% polyester(Woven)
Max Width: 3.20m-5m
Applications: SEG Light Box, SEG Frame Systems
Specialities: Printable with Sub-D,
Zero-Halogen Available
Printing: SUB-T SUB-D UV ECO-SOL LATEX

Fire resistant	3.55 USD/m ²
Non fire resistant	2.25 USD/m ²
MOQ	5000 m ² (≈ 15-20 rolls)



F-202 Pro

f202 - Lightbox Fabric/Backlit - PRO
Specifications: 195gsm, 100% polyester
Max Width: 3.2m
Applications: SEG Light Box, SEG Frame Systems, Gazebo
Specialities: Scratch-Resistant, Zero Halogen Available
Cold & Wrinkle Resistant
Printing: SUB-T UV ECO-SOL LATEX

Fire resistant	3.75 USD/m²
Non fire resistant	2.7 USD/m²
MOQ	5000 m² (≈ 15-20 rolls)



F-203 Pro

f203 - Sub-D Lightbox Fabric/Backlit - PRO
Specifications: 195gsm, 100% polyester
Max Width: 3.2m
Applications: SEG Light Box, SEG Frame Systems, Gazebo
Specialities: Printable with Sub-D, Zero Halogen Available
Cold & Wrinkle Resistant
Printing: SUB-T SUB-D UV ECO-SOL LATEX

Fire resistant	3.75 USD/m²
Non fire resistant	2.7 USD/m²
MOQ	5000 m² (≈ 15-20 rolls)



F-2011

Bf2011 - Smooth Lightbox Fabric/Backlit
Specifications: 120gsm, 100% polyester
Max Width: 3.2m
Applications: SEG Light Box, SEG Frame Systems
Specialities: Smooth, Zero Halogen Available,
Cold & Wrinkle Resistant
Printing: SUB-T UV ECO-SOL LATEX

Fire resistant	3.7 USD/m²
Non fire resistant	2.6 USD/m²
MOQ	5000 m² (≈ 15-20 rolls)



DISPLAY FABRIC

Your best choice for
general frontlit display purpose.



DISPLAY FABRIC

F-601

Glossy Display Fabric
Specifications: 250gsm, 100% polyester
Max Width: 320cm
Applications: Backdrops, Tradeshow Display
Specialities: Semi-Glossy Surface, Good Strength
Printing: SUB-D SUB-T

Fire resistant	2.5 USD/m ²
Non fire resistant	1.8 USD/m ²
MOQ	5000 m ² (≈ 15-20 rolls)

F-602

Stretch Display Fabric
Specifications: 230gsm, 100% polyester
Max Width: 320cm
Applications: Matte, Backdrops, Tradeshow Display
Specialities: Semi-Glossy Surface, Good Strength
Printing: SUB-T

Fire resistant	2.5 USD/m ²
Non fire resistant	1.8 USD/m ²
MOQ	5000 m ² (≈ 15-20 rolls)




Wrinkle resistant



Durable



Scratch Resistant



Wrinkle resistant



Durable



Scratch Resistant

Tent Fabric

Premium substrates for interior décor and large-format wall graphics.



Tent Fabric

F-301

f301 - Tent Fabric
Specifications: 275gsm, 100% polyester(Oxford)
Max Width: 320cm-500cm
Applications: Frame Systems, Tents, Booth
Specialities: Waterproof
Printing: SUB-T UV LATEX

Fire resistant	3.3 USD/m ²
Non fire resistant	2.7 USD/m ²
MOQ	5000 m ² (≈ 15-20 rolls)




Tent Fabric

F-302

f302 - Tent Fabric - Sub-D
Specifications: 275gsm, 100% polyester(Oxford)
Max Width: 320cm-500cm
Applications: Frame Systems, Tents, Booth
Specialities: Printable with SUB-D, Zero-Halogen Available
Printing: SUB-T SUB-D UV LATEX

Fire resistant	3.15 USD/m ²
Non fire resistant	/
MOQ	5000 m ² (≈ 15-20 rolls)



WALLCOVERING FABRIC

Premium substrates for interior décor and large-format wall graphics.



WALLCOVERING FABRIC

F-401

f401 - Wall Covering Fabric
Specifications: 300gsm, 100% polyester(Woven)
Max Width: 320cm-500cm
Applications: Interior Decoration
Specialities: Slub Yarn, Easy to Installation
Printing: UV ECO-SOL

Fire resistant	4 USD/m ²
Non fire resistant	3 USD/m ²
MOQ	5000 m ² (≈ 15-20 rolls)



- 
Wrinkle resistant
- 
Durable
- 
blockout

F-402

f402 - Wall Covering Fabric
Specifications: 290gsm, 100% polyester(Knitted)
Max Width: 320cm-500cm
Applications: Interior Decoration
Specialities: Easy to Installation, Zero-Halogen
Printing: UV Sub-D ECO-SOL

Fire resistant	3.6 USD/m ²
Non fire resistant	2.8 USD/m ²
MOQ	5000 m ² (≈ 15-20 rolls)



- 
Wrinkle resistant
- 
Durable
- 
blockout
- 
SUB-D